

acc. to 29 CFR 1910.1200 App D

# **XDP X FACTOR**

Date of compilation: 2022-12-22

#### **SECTION 1: Identification**

#### 1.1 Product identifier

Trade name XDP X FACTOR

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses For addition to oil. Do not mist

# 1.3 Details of the supplier of the safety data sheet

Xtreme Diesel Performance 1758 State Route 34 North Wall Township NJ 07727 United States 1-888-735-3773

# 1.4 Emergency telephone number Chemtrec 1-800-424-9300 (Within Continental US) Chemtrec 703-527-3887 (Outside US)

# **SECTION 2: Hazard(s) identification**

#### 2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and cat- egory	Hazard state- ment
A.2	skin corrosion/irritation	2	Skin Irrit. 2	H315
A.4S	skin sensitization	1	Skin Sens. 1	H317

For full text of abbreviations: see SECTION 16.

#### 2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word warning

- Pictograms

GHS07



#### - Hazard statements

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

# - Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P272 Contaminated work clothing must not be allowed out of the workplace.

P280 Wear protective gloves.

P302+P352 If on skin: Wash with plenty of water. P321 Specific treatment (see on this label).

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P362 Take off contaminated clothing and wash it before reuse.

P363 Wash contaminated clothing before reuse.

P501 Dispose of contents/container to industrial combustion plant.

- Hazardous ingredients for labelling Trade Secret

United States: en Page: 1 / 13



acc. to 29 CFR 1910.1200 App D

## XDP X FACTOR

Date of compilation: 2022-12-22

#### 2.3 Other hazards

of no significance

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not relevant (mixture)

#### 3.2 Mixtures

#### Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Trade Secret	CAS No Trade Secret 5989-27-5 68647-72-3	10-<25	Skin Irrit. 2 / H315 Skin Sens. 1 / H317 Flam. Liq. 3 / H226	<b>(1)</b>
Distillates, hydrotreated heavy paraffinic	CAS No 64742-54-7	1-<5	Acute Tox. 4 / H332	1

For full text of abbreviations: see SECTION 16.

#### **SECTION 4: First-aid measures**

# 4.1 Description of first-aid measures

#### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

## Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

#### Following skin contact

Wash with plenty of soap and water.

#### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

#### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

# 4.3 Indication of any immediate medical attention and special treatment needed

none

United States: en Page: 2 / 13



acc. to 29 CFR 1910.1200 App D

## XDP X FACTOR

Date of compilation: 2022-12-22

# **SECTION 5: Fire-fighting measures**

## 5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

# 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO2)

## 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

# **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

## 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

United States: en Page: 3 / 13



acc. to 29 CFR 1910.1200 App D

# XDP X FACTOR

Date of compilation: 2022-12-22

# **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation Use local and general ventilation. Use only in well-ventilated areas.

# Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

# 7.2 Conditions for safe storage, including any incompatibilities

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

#### 7.3 Specific end use(s)

See section 16 for a general overview.

# SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

This information is not available.

# Relevant DNELs of components of the mixture

Name of substance	CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Trade Secret	Trade Secret 5989-27-5 68647-72-3	DNEL	66.7 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
Trade Secret	Trade Secret 5989-27-5 68647-72-3	DNEL	9.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

#### Relevant PNECs of components of the mixture

Name of substance	CAS No	Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
Trade Secret	Trade Secret 5989-27-5 68647-72-3	PNEC	14 <sup>µg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single in- stance)
Trade Secret	Trade Secret 5989-27-5 68647-72-3	PNEC	1.4 <sup>µg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single in- stance)
Trade Secret	Trade Secret 5989-27-5 68647-72-3	PNEC	1.8 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single in- stance)
Trade Secret	Trade Secret 5989-27-5 68647-72-3	PNEC	3.85 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sediment	short-term (single instance)

United States: en Page: 4 / 13



acc. to 29 CFR 1910.1200 App D

# XDP X FACTOR

Date of compilation: 2022-12-22

# Relevant PNECs of components of the mixture

Name of substance	CAS No	Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
Trade Secret	Trade Secret 5989-27-5 68647-72-3	PNEC	0.385 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single instance)
Trade Secret	Trade Secret 5989-27-5 68647-72-3	PNEC	0.763 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single in- stance)

# 8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

#### Eye/face protection

Wear eye/face protection.

#### Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

#### Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

# **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

## **Appearance**

Physical state	liquid
Color	not determined
Particle	not relevant (liquid)
Odor	characteristic

United States: en Page: 5 / 13



acc. to 29 CFR 1910.1200 App D

# **XDP X FACTOR**

Date of compilation: 2022-12-22

# Other safety parameters

not determined
not determined
195.5 °C
149 °C at 1 atm
not determined
not relevant, (fluid)
200 Pa at 298 K
7.05 <sup>lb</sup> / <sub>gal</sub> at 20 °C
this information is not available
not determined

#### Partition coefficient

- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	245 °C
Viscosity	not determined
Explosive properties	none
Oxidizing properties	none

# 9.2 Other information

Solvent content	100 %
Solid content	0 %
Temperature class (USA, acc. to NEC 500)	T2C (maximum permissible surface temperature on the equipment: 230°C)

# **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

# 10.2 Chemical stability

See below "Conditions to avoid".

# 10.3 Possibility of hazardous reactions

No known hazardous reactions.

United States: en Page: 6 / 13

# XDP DTESEL ROWER

# **Safety Data Sheet**

acc. to 29 CFR 1910.1200 App D

# XDP X FACTOR

Date of compilation: 2022-12-22

#### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

#### 10.5 Incompatible materials

Oxidizers

# 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

# **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

# Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

#### Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4: May be harmful in contact with skin or if inhaled.

#### Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Distillates, hydrotreated heavy paraffinic	64742-54-7	inhalation: vapor	11 <sup>mg</sup> / <sub>l</sub> /4h
Distillates, hydrotreated heavy paraffinic	64742-54-7	inhalation: dust/mist	2.18 <sup>mg</sup> / <sub>l</sub> /4h

## Skin corrosion/irritation

Causes skin irritation.

# Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

## Respiratory or skin sensitization

May cause an allergic skin reaction.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### IARC Monographs on the Evaluation of Carcinogenic Risks to Humans

Name of substance	CAS No	Classification	Number
Trade Secret	5989-27-5	3	

#### Legend

Not classifiable as to carcinogenicity in humans

United States: en Page: 7 / 13



acc. to 29 CFR 1910.1200 App D

# XDP X FACTOR

Date of compilation: 2022-12-22

# Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

# **SECTION 12: Ecological information**

### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

# 12.2 Persistence and degradability

Data are not available.

#### 12.3 Bioaccumulative potential

Data are not available.

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

# 12.6 Endocrine disrupting properties

Information on this property is not available.

#### 12.7 Other adverse effects

Data are not available.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

# Waste treatment of containers/packages

Only packagings which are approved (e.g. acc. to DOT) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

# **Remarks**

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

United States: en Page: 8 / 13



acc. to 29 CFR 1910.1200 App D

# XDP X FACTOR

Date of compilation: 2022-12-22

# **SECTION 14: Transport information**

#### 14.1 UN number

DOT UN 3082 IMDG-Code UN 3082 ICAO-TI UN 3082

14.2 UN proper shipping name

DOT Environmentally hazardous substance, liquid,

n.o.s.

IMDG-Code ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LI-

QUID, N.O.S.

ICAO-TI Environmentally hazardous substance, liquid,

n.o.s.

14.3 Transport hazard class(es)

DOT 9
IMDG-Code 9
ICAO-TI 9

14.4 Packing group

DOT III IMDG-Code III ICAO-TI III

**14.5** Environmental hazards hazardous to the aquatic environment

#### 14.6 Special precautions for user

There is no additional information.

# 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

# Information for each of the UN Model Regulations

# Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information

Particulars in the shipper's declaration UN3082, Environmentally hazardous substance,

liquid, n.o.s., 9, III

Danger label(s) 9, fish and tree



Environmental hazards yes (hazardous to the aquatic environment)

Special provisions (SP)

8, 146, 173, 335, IB3, T4, TP1, TP29

ERG No 171

United States: en Page: 9 / 13



acc. to 29 CFR 1910.1200 App D

# **XDP X FACTOR**

Date of compilation: 2022-12-22

# International Maritime Dangerous Goods Code (IMDG) - Additional information

Marine pollutant yes (hazardous to the aquatic environment) (Trade Secret)

Danger label(s) 9, fish and tree

**\*** 

Special provisions (SP) 274, 335, 969

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 L
EmS F-A, S-F
Stowage category A

# International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Environmental hazards yes (hazardous to the aquatic environment)

Danger label(s) 9, fish and tree

Special provisions (SP) A97, A158, A197, A215

Excepted quantities (EQ) E1
Limited quantities (LQ) 30 kg

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations specific for the product in question National regulations (United States)

# Superfund Amendment and Reauthorization Act (SARA TITLE III )

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

- Specific Toxic Chemical Listings (EPCRA Section 313) none of the ingredients are listed

#### Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4) none of the ingredients are listed

#### **Clean Air Act**

none of the ingredients are listed

# **Right to Know Hazardous Substance List**

- Cleaning Product Right to Know Act Substance List (CA-RTK)

Name of substance	CAS No	Functionality	Authoritative Lists
Trade Secret	5989-27-5		EU Fragrance Allergens
Distillates, hydrotreated heavy paraffinic	64742-54-7		EC Annex VI CMRs - Cat. 1B

United States: en Page: 10 / 13



acc. to 29 CFR 1910.1200 App D

# **XDP X FACTOR**

Date of compilation: 2022-12-22

- Hazardous Substances List (MN-ERTK) none of the ingredients are listed
- Hazardous Substance List (NJ-RTK)

Name of substance	CAS No	Remarks	Classifications
Trade Secret	138-86-3		F2

Legend

F2 Flammable - Second Degree

 Hazardous Substance List (RI-RTK) none of the ingredients are listed

# California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

none of the ingredients are listed

# Industry or sector specific available guidance(s)

#### **NPCA-HMIS® III**

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description	
Chronic	/	none	
Health	2	temporary or minor injury may occur	
Flammability	1	material that must be preheated before ignition can occur	
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive	
Personal protection	-		

# **NFPA® 704**

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	1	material that must be preheated before ignition can occur
Health	2	material that, under emergency conditions, can cause temporary incapacitation or residual injury
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

#### **National inventories**

Country	Inventory	Status
US	TSCA	not all ingredients are listed

Legend

TSCA Toxic Substance Control Act

United States: en Page: 11 / 13



acc. to 29 CFR 1910.1200 App D

# **XDP X FACTOR**

Date of compilation: 2022-12-22

# 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

# SECTION 16: Other information, including date of preparation or last revision

# **Abbreviations and acronyms**

Abbr.	Descriptions of used abbreviations
49 CFR US DOT	49 CFR U.S. Department of Transportation
Acute Tox.	Acute toxicity
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
DOT	Department of Transportation (USA)
EmS	Emergency Schedule
ERG No	Emergency Response Guidebook - Number
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitization
vPvB	Very Persistent and very Bioaccumulative

United States: en Page: 12 / 13



acc. to 29 CFR 1910.1200 App D

# **XDP X FACTOR**

Date of compilation: 2022-12-22

# Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

# **Classification procedure**

Physical Properties. The classification is based on tested mixture. Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

# List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H226	Flammable liquid and vapor.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H332	Harmful if inhaled.

#### **Disclaimer**

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United States: en Page: 13 / 13