SAFETY DATA SHEET

Revision Date: 22-Nov-2016 Version: 1

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Radiator Relief **Product Label Name**

Product Generic Name Radiator Coolant Additive

Other means of identification

040104, 040200, 040204, 040206, 040208 UPC Code(s)

None **Synonyms**

Recommended use of the chemical and restrictions on use

Recommended Use Coolant Additive for Radiator

Uses advised against Follow label instructions. Not recommended for any use except intended use.

Supplier's details

Supplier Address Manufacturer Address

604 Moore Road, Avon Lake, OH 44012 604 Moore Road, Avon Lake, OH 44012

Emergency telephone number

Company Phone Number Company Emergency Phone

Number

1-800-264-9472 (M-F 8:30AM - 5:00PM EST) Propharma: 1-800-565-5597 (24 hours)

Emergency telephone Chemtrec (US/CA) 1-800-424-9300 (24 hour)

Poison Control 1-800-222-1222 (24 hour)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious eye damage/eye irritation Category 1

GHS Label elements, including precautionary statements

Emer enc Overview

Danger

Hazard Statements

Causes serious eye damage



Appearance Viscous liquid Physical state liquid Odor Characteristic

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling

Precautionary Statements - Response

Get medical advice/attention if you feel unwell

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Hazards not otherwise classified (HNOC)

Not applicable Other information

General Hazards No information available

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade Secret
ALCOHOLS, C10-16, ETHOXYLATED	68002-97-1	5 - 10	
Sodium carbonate	497-19-8	1 - 5	
Ethyl alcohol	64-17-5	1 - 5	

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

First aid measures for different exposure routes

General advice For further assistance, contact your local Poison Control Center.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. If eye irritation persists, consult a specialist.

Skin contact Wash skin with soap and water.

Toxic - Inhalation Not expected.

Ingestion Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. If

symptoms persist, call a physician.

Protection of First-aiders Use personal protective equipment.

Most important symptoms/effects, acute and delayed

Main Symptoms No information available.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media None.

Specific hazards arising from the chemical

No information available.

Hazardous Combustion

No information available.

Products

Explosion Data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautionsAvoid contact with the skin and the eyes.

Advice for emergency responders For personal protection see section 8.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and materials for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

Clean contaminated surface thoroughly. After cleaning, flush away traces with water.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Technical measures/Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of

children.

Packaging material Keep consumer product in packaging product is initially sold in.

Incompatible products

None known based on information supplied.

Revision Date 22-Nov-2016

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethyl alcohol	STEL: 1000 ppm	TWA: 1000 ppm	IDLH: 3300 ppm
64-17-5		TWA: 1900 mg/m ³	TWA: 1000 ppm
		(vacated) TWA: 1000 ppm	TWA: 1900 mg/m ³
		(vacated) TWA: 1900 mg/m ³	

Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Safety glasses with side-shields.

Skin and body protection No special protective equipment required.

Respiratory protection No special protective equipment required. If exposure limits are exceeded or irritation is

experienced, NIOSH/MSHA approved respiratory protection should be worn.

Hygiene measures Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and chemical properties

Physical state liquid

Appearance Viscous liquid Odor Characteristic

Color Clear Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH 11

Melting pointNo information availableBoiling point/boiling rangeNo information availableFlash PointNo information availableEvaporation rateNo information availableFlammability (solid, gas)No information availableFlammability Limits in Air

Upper Flammability Limit
Lower Flammability Limit
Vapor pressure
Vapor density

No information available
No information available
No information available

Specific Gravity 1.039

Water solubility Soluble in water

Solubility in other solvents
Partition coefficient: n-octanol/water
Autoignition temperature
Decomposition temperature
Viscosity, kinematic
No information available
No information available
No information available
No information available

Viscosity, dynamic 500 mPa s

Explosive properties No information available Oxidizing Properties No information available

Other information

Softening point No information available

 Molecular weight
 No information available

 VOC Content(%)
 No information available

 Density
 No information available

 Bulk Density
 No information available

10. STABILITY AND REACTIVITY

Reactivity

Not expected

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Hazardous Polymerization None under normal processing.

Conditions to Avoid

Extremes of temperature and direct sunlight.

Incompatible Materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product InformationThere is no data available for this product

Toxic - Inhalation None known.

Eye contact Irritating to eyes. Severely irritating to eyes.

Skin contact Prolonged contact may cause redness and irritation.

Ingestion May be harmful if swallowed.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium carbonate 497-19-8	= 4090 mg/kg (Rat)	-	= 2300 mg/m³(Rat)2 h
Ethyl alcohol 64-17-5	= 7060 mg/kg (Rat)		= 124.7 mg/L (Rat)4 h

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationNo information available.Eye damage/irritationNo information available.SensitizationNo information available.Germ cell mutagenicityNo information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethyl alcohol 64-17-5	A3	Group 1	Known	Х

ACGIH: (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC: (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans NTP: (National Toxicity Program)

aduator Coolant Adultive

Known - Known Carcinogen

OSHA: (Occupational Safety & Health Administration)

X - Present

Reproductive toxicity

Developmental Toxicity

STOT - single exposure

STOT - repeated exposure

No information available.

No information available.

No information available.

Chronic toxicity Ethanol has been shown to be carcinogenic in long-term studies only when consumed as

alcoholic beverage. Ethanol has been shown to be a reproductive toxin only when

consumed as an alcoholic beverage.

Aspiration hazard No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 9329 mg/kg **ATEmix (dermal)** 13763 mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Sodium carbonate 497-19-8	120 h Nitzschia mg/L EC50	96h LC50: = 300 mg/L(Lepomis macrochirus) 96hLC50: 310 - 1220 mg/L(Pimephales promelas)	48h EC50: = 265 mg/L
Ethyl alcohol 64-17-5		12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through	9268 - 14221: 48 h Daphnia magna mg/L LC50 2: 48 h Daphnia magna mg/L EC50 Static 10800: 24 h Daphnia magna mg/L EC50

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Mobility

Chemical Name	Partition coefficient
ALCOHOLS, C10-16, ETHOXYLATED 68002-97-1	-
Sodium carbonate 497-19-8	-
Ethyl alcohol 64-17-5	-0.32

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment

Waste Disposal Methods Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not re-use empty containers.

California Hazardous Waste Codes

Chemical Name	California Hazardous Waste Status
ALCOHOLS, C10-16, ETHOXYLATED 68002-97-1	-
Sodium carbonate 497-19-8	Corrosive
Ethyl alcohol 64-17-5	Toxic Ignitable

14. TRANSPORT INFORMATION

DOT Not regulated

IATA Not regulated

IMDG Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA Complies
DSL/NDSL Complies
EINECS/ELINCS ENCS IECSC Complies
KECL Complies
PICCS AICS Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard Yes
Chronic Health Hazard No
Fire Hazard No
Sudden Release of Pressure Hazard No
Reactive Hazard No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical Name	California Prop. 65
Ethyl alcohol - 64-17-5	Carcinogen
80	Developmental

Chronic toxicity

Ethanol has been shown to be carcinogenic in long-term studies only when consumed as alcoholic beverage Ethanol has been shown to be a reproductive toxin only when consumed as an alcoholic beverage

U.S. State Right-to-Know Regulations

This product contains substances regulated by state right-to-know regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Ethyl alcohol 64-17-5	Х	X	Х
Sodium Sulfate 7757-82-6		X	Х

U.S. EPA Label information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION

NFPA Health hazard 1 Flammability 0 Instability 0 Physical and chemical

hazards -

HMIS Health hazard 1 Flammability 0 Physical Hazard 0 Personal protection X

Prepared By Sun Products Corporation

Regulatory Affairs

Revision Date 22-Nov-2016

Revision Note

No information available

Disclaimer

The (M)SDS is intended to provide a brief summary of our knowledge and guidance regarding the use of this material. The information contained here has been compiled from sources considered by Sun Products Corporation to be dependable and is accurate to the best of the Company's knowledge. It is not meant to be an all-inclusive document on worldwide hazard communication regulations.

This information is offered in good faith. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage or release to the environment. Sun Products Corporation assumes no responsibility for injury to the recipient of third persons, or for any damage to any property resulting from misuse of the product.

End of Material Safety Data Sheet